




Mounting accessories for inner linings








Benefits

- Extensive range of accessories for AFRISO leak protection linings/inner linings
- High-quality components for easy, fast mounting
- Plastic parts made of high-strength, robust plastic

Application











Suitable for AFRISO inner linings AK-S, AF-S and AR-S for mounting.

Versions

		Part no.
	Angled nipple short 6 x 4/6 mm	43906
	Angled nipple short with spacer 6 x 4/6 mm	43904
	Angled nipple Long 6 x 4/6 mm	43908
	Condensate bar	43692
	Liquid barrier	43646













Blue part no. = in-stock items



	Part no.
	Suction line Perforated 6 x 3 mm, roll 100 m 43910
	Suction line Not perforated 6 x 3 mm, roll 100 m 43911
	Fastening ring ø 500 mm round gasket, foam rubber and cardboard gasket 43900A
	Fastening ring ø 550 mm round gasket, foam rubber and cardboard gasket 43900B
	Fastening ring ø 600 mm round gasket, foam rubber and cardboard gasket 43900C
	Fastening ring ø 620 mm round gasket, foam rubber and cardboard gasket 43900D
	Hose connector GS4 4 x 4 mm Kst natur 43945
	Hose connector GS6 6 x 6 mm Kst natur 43912
	T piece TS4 4 x 4 x 4 mm, for suction hose 43944
	T piece TS6 6 x 6 x 6 mm, for suction hose 43913
	Hose connector kit NW4/6, G$\frac{3}{8}$ x G$\frac{1}{2}$ NW4 x G$\frac{1}{2}$, NW6 x G$\frac{1}{2}$, G$\frac{3}{8}$ x G$\frac{1}{2}$ 43914
	Plate holder with plate, clamp and label DE, FR/ IT 43918
	PVC hose transparent 4 x 2 mm, roll 100 m 43650
	PVC hose Green 4 x 2 mm, roll 100 m 43649
	PVC hose Red 4 x 2 mm, roll 100 m 43648




Blue part no. = in-stock items



	Part no.
 <p>PVC hose transparent 6 x 2 mm, roll 100 m</p>	43664
 <p>PVC hose Green 6 x 2 mm, roll 100 m</p>	43663
 <p>PVC hose Red 6 x 2 mm, roll 100 m</p>	43662
 <p>Sealing material Eppler 28 can (1000 ml)</p>	43919
 <p>Glue Eppler 200 S 0.8 kg</p>	44025
 <p>Fastening ring \varnothing 500 mm V2A flat steel (without seal), 40 x 8 mm, glass bead blasted</p>	43900N
 <p>Fastening ring \varnothing 600 mm V2A flat steel (without seal), 40 x 8 mm, glass bead blasted</p>	43900O
 <p>Flange KT G2</p>	44007
 <p>Flange KT NW65</p>	44006
 <p>Foam rubber 50 x 5 mm roll 10 m</p>	43926
 <p>Foam rubber 50 x 8 mm roll 10 m</p>	43942
 <p>Mipoplast bottom plate 800 x 800 mm</p>	43928

Blue part no. = in-stock items



		Part no.
	Fleece plate LSV2 1 x 2 m, without magnets	43952
	Bottom plate 800 x 800 mm	43894
	Connection pieces G1 x NW 4/6 mm	43698

Blue part no. = in-stock items

Description

Condensate bar with three condensate traps for visual inspection, with integrated bracket for easy wall mounting. If there is no steady gradient in the measuring, exhaust and suction lines from the leak detector to the tank, a condensate bar must be mounted at each lowest point of the lines. When condensate forms, the liquid is collected in the relevant condensate trap. The condensate traps can be easily unscrewed for emptying.

Tightness-tested

Compact, robust design made of high-strength plastic

Compatible with hoses with 4/6 mm