



## Glycerine filled Bourdon tube pressure gauges Type D7



### Benefits

- Robust stainless steel housing
- Can be used in case of heavy vibrations and high, dynamic pressure loads
- Longer service life due to less wear and corrosion protection of the measuring system
- No steaming up of the inside of the window in case of outdoor applications

### Application

For gaseous and liquid media which are not highly viscous, do not crystallise and do not attack copper alloys. For measurements in areas with high vibration levels and high, dynamic pressure loads.

### Technical specifications

#### Type

D7

#### Nominal size

50 – 63 – 80 – 100

#### Accuracy class (EN 837-1/6)

1,6

1,0

#### Ranges (EN 837-1/5)

See ordering table

#### Application area

Static load:  $\frac{3}{4}$  x full scale value

Dynamic load:  $\frac{2}{3}$  x full scale value

Short-term: Full scale value

#### Operating temperature range

Medium: Max. 60 °C

Ambient: -20/+60 °C

#### Degree of protection

IP 54 (EN 60529) with housing vent ( $\leq 25$  bar)

IP 65 (EN 60529)

### Standard version

#### Connection

Brass, bottom, centre back or bottom back

#### Measuring element

Bourdon tube

$\leq 60$  bar: "C" type tube

$> 60$  bar: Helical tube

#### Movement

Brass

#### Dial

Aluminium, white

Scaling: Black

RF63Gly: Dual scale, bar outer, black – psi inner, red

#### Pointer

Aluminium, black

#### Housing

Stainless steel 304, with blow-out

#### Crimped bezel

Stainless steel 304

#### Window

Plastic

#### Filling liquid


Glycerine (99.5 %)

Options

- Filling liquid silicone oil
- Back flange (NG 63/80/100)
- Clamp fixing
- 3-hole fixing, panel mounting bezel
- Crimped bezel polished
- Measuring system stainless steel (up to 1,000 bar, NG 80/100)
- Special scales
- Clip reference pointer, red, adjustable (NG 63)
- Damping screw
- Other process connections

Technical drawings


NG 50/63 – bottom connection



Dimensions (mm)

| NG | a   | b    | Øc | c1 | c2 | D  | G   | h    | s   | SW |
|----|-----|------|----|----|----|----|-----|------|-----|----|
| 50 | 11  | 28   | 5  | 2  | 13 | 53 | G¼B | 45,5 | 4,5 | 14 |
| 63 | 9,5 | 30,5 | 5  | 2  | 13 | 68 | G¼B | 53   | 7   | 14 |


NG 80/100 – bottom connection



Dimensions (mm)

| NG  | a    | b    | Øc | c1 | c2 | D   | G   | h    | s | SW |
|-----|------|------|----|----|----|-----|-----|------|---|----|
| 80  | 12,2 | 33,5 | 6  | 3  | 20 | 85  | G½B | 71   | 7 | 22 |
| Ms  |      |      |    |    |    |     |     |      |   |    |
| 80  | 12,2 | 33,5 | 6  | 3  | 20 | 85  | G½B | 79,5 | 7 | 22 |
| VA  |      |      |    |    |    |     |     |      |   |    |
| 100 | 12,2 | 33,5 | 6  | 3  | 20 | 106 | G½B | 81   | 7 | 22 |
| Ms  |      |      |    |    |    |     |     |      |   |    |
| 100 | 11,8 | 33,5 | 6  | 3  | 20 | 106 | G½B | 90   | 7 | 22 |
| VA  |      |      |    |    |    |     |     |      |   |    |


NG 50/63 – centre back connection



Dimensions (mm)

| NG | b    | ϕc | c1 | c2 | D  | G   | g    | s   | SW |
|----|------|----|----|----|----|-----|------|-----|----|
| 50 | 28   | 5  | 2  | 13 | 53 | G¼B | 51   | 4,5 | 14 |
| 63 | 30,5 | 5  | 2  | 13 | 68 | G¼B | 53,3 | 7   | 14 |

NG 80/100 – centre back connection



Dimensions (mm)

| NG     | b    | ϕc | c1 | c2 | D   | g    | G   | s | SW |
|--------|------|----|----|----|-----|------|-----|---|----|
| 80 Ms  | 33,5 | 5  | 2  | 13 | 85  | 56,5 | G¼B | 7 | 14 |
| 80 VA  | 33,5 | 5  | 2  | 13 | 85  | 59   | G¼B | 7 | 14 |
| 100 Ms | 33,5 | 6  | 3  | 20 | 106 | 65,5 | G¼B | 7 | 22 |
| 100 VA | 33,5 | 6  | 3  | 20 | 106 | 76,5 | G¼B | 7 | 22 |


NG 50/63 – centre back connection, 3-hole fixing, panel mounting bezel



Dimensions (mm)

| NG | b    | ϕc | c1 | c2 | d1 | d2 | d3  | d4 | D  | G   | g    | s1  | s2 | SW |
|----|------|----|----|----|----|----|-----|----|----|-----|------|-----|----|----|
| 63 | 30,5 | 5  | 2  | 13 | 75 | 85 | 3,6 | 64 | 68 | G¼B | 53,3 | 5,5 | 2  | 14 |


NG 100 – centre back connection, 3-hole fixing, panel mounting bezel



Dimensions (mm)


| NG     | b    | ϕc | c1 | c2 | d1* | d2  | d3* | d4  | D   | g    | G   | s | s1  | SW |
|--------|------|----|----|----|-----|-----|-----|-----|-----|------|-----|---|-----|----|
| 100 Ms | 33,5 | 6  | 3  | 20 | 116 | 132 | 4,8 | 101 | 106 | 65,5 | G¼B | 7 | 3,8 | 22 |
| 100 VA | 33,5 | 6  | 3  | 20 | 116 | 132 | 4,8 | 101 | 106 | 76,5 | G¼B | 7 | 3,8 | 22 |

NG 50/63 – centre back connection, with clamp fixing



| Dimensions (mm) |      |    |    |    |    |     |      |    |    |     |    |
|-----------------|------|----|----|----|----|-----|------|----|----|-----|----|
| NG              | b    | ∅c | c1 | c2 | D  | G   | g    | m  | n  | s   | SW |
| 50              | 28   | 5  | 2  | 13 | 53 | G¼B | 51   | 82 | 73 | 4,5 | 14 |
| 63              | 30,5 | 5  | 2  | 13 | 68 | G¼B | 53,3 | 94 | 82 | 7   | 14 |

NG 100 – centre back connection, with clamp fixing




| Dimensions (mm) |      |    |    |    |     |      |     |     |   |    |
|-----------------|------|----|----|----|-----|------|-----|-----|---|----|
| NG              | b    | Øc | c1 | c2 | D   | g    | G   | M   | s | SW |
| 80              |      |    |    |    |     |      |     |     |   |    |
| Ms              | 33,5 | 5  | 2  | 13 | 85  | 56,5 | G¼B | 82  | 7 | 14 |
| ax              |      |    |    |    |     |      |     |     |   |    |
| 80              |      |    |    |    |     |      |     |     |   |    |
| VA ax           | 33,5 | 5  | 2  | 13 | 85  | 59   | G¼B | 82  | 7 | 14 |
| 100             |      |    |    |    |     |      |     |     |   |    |
| Ms              | 33,5 | 6  | 3  | 20 | 106 | 65,5 | G½B | 106 | 7 | 22 |
| 100             |      |    |    |    |     |      |     |     |   |    |
| VA              | 33,5 | 6  | 3  | 20 | 106 | 76,5 | G½B | 106 | 7 | 22 |



## Versions

### RF50Gly D701

|  | Housing ∅ | Connection        | Alignment | Housing             | Accuracy class | Range       | Type         | Part no. |
|--|-----------|-------------------|-----------|---------------------|----------------|-------------|--------------|----------|
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | -1/0 bar    | RF50Gly D701 | 85051701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF50Gly D701 | 85052701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF50Gly D701 | 85053701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | -1/+3 bar   | RF50Gly D701 | 85054701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | -1/+5 bar   | RF50Gly D701 | 85055701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | -1/+9 bar   | RF50Gly D701 | 85056701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | -1/+15 bar  | RF50Gly D701 | 85057701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/0.6 bar   | RF50Gly D701 | 85059701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/1 bar     | RF50Gly D701 | 85060701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF50Gly D701 | 85061701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF50Gly D701 | 85062701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/4 bar     | RF50Gly D701 | 85063701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/6 bar     | RF50Gly D701 | 85064701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/10 bar    | RF50Gly D701 | 85065701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/16 bar    | RF50Gly D701 | 85066701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/25 bar    | RF50Gly D701 | 85067701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/40 bar    | RF50Gly D701 | 85068701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/60 bar    | RF50Gly D701 | 85069701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/100 bar   | RF50Gly D701 | 85070701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/160 bar   | RF50Gly D701 | 85071701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/250 bar   | RF50Gly D701 | 85072701 |
|  | 50 mm     | G $\frac{1}{4}$ B | Bottom    | Stainless steel 304 | 1,6            | 0/400 bar   | RF50Gly D701 | 85073701 |



Blue part no. = in-stock items




## RF63Gly D701

|  | Housing <sup>ø</sup> | Connection | Alignment | Housing             | Accuracy class | Range       | Type         | Part no.                 |
|--|----------------------|------------|-----------|---------------------|----------------|-------------|--------------|--------------------------|
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | -1/0 bar    | RF63Gly D701 | <a href="#">85101701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF63Gly D701 | <a href="#">85102701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF63Gly D701 | <a href="#">85103701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | -1/+3 bar   | RF63Gly D701 | <a href="#">85104701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | -1/+5 bar   | RF63Gly D701 | <a href="#">85105701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | -1/+9 bar   | RF63Gly D701 | <a href="#">85106701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | -1/+15 bar  | RF63Gly D701 | <a href="#">85107701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/0.6 bar   | RF63Gly D701 | <a href="#">85109701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/1 bar     | RF63Gly D701 | <a href="#">85110701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF63Gly D701 | <a href="#">85111701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF63Gly D701 | <a href="#">85112701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/4 bar     | RF63Gly D701 | <a href="#">85113701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/6 bar     | RF63Gly D701 | <a href="#">85114701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/10 bar    | RF63Gly D701 | <a href="#">85115701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/16 bar    | RF63Gly D701 | <a href="#">85116701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/25 bar    | RF63Gly D701 | <a href="#">85117701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/40 bar    | RF63Gly D701 | <a href="#">85118701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/60 bar    | RF63Gly D701 | <a href="#">85119701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/100 bar   | RF63Gly D701 | <a href="#">85120701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/160 bar   | RF63Gly D701 | <a href="#">85121701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/250 bar   | RF63Gly D701 | <a href="#">85122701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/315 bar   | RF63Gly D701 | <a href="#">86818701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/400 bar   | RF63Gly D701 | <a href="#">85123701</a> |
|  | 63 mm                | G¼B        | Bottom    | Stainless steel 304 | 1,6            | 0/600 bar   | RF63Gly D701 | <a href="#">85124701</a> |

Blue part no. = in-stock items



## RF80Gly D701

|                                                                                   | Housing <sup>ø</sup> | Connection | Alignment | Housing             | Accuracy class | Range       | Type         | Part no. |
|-----------------------------------------------------------------------------------|----------------------|------------|-----------|---------------------|----------------|-------------|--------------|----------|
|  | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/0 bar    | RF80Gly D701 | 85151701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF80Gly D701 | 85152701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF80Gly D701 | 85153701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+3 bar   | RF80Gly D701 | 85154701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+5 bar   | RF80Gly D701 | 85155701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+9 bar   | RF80Gly D701 | 85156701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+15 bar  | RF80Gly D701 | 85157701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/1 bar     | RF80Gly D701 | 85160701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF80Gly D701 | 85161701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF80Gly D701 | 85162701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/4 bar     | RF80Gly D701 | 85163701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/6 bar     | RF80Gly D701 | 85164701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/10 bar    | RF80Gly D701 | 85165701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/16 bar    | RF80Gly D701 | 85166701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/25 bar    | RF80Gly D701 | 85167701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/40 bar    | RF80Gly D701 | 85168701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/60 bar    | RF80Gly D701 | 85169701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/100 bar   | RF80Gly D701 | 85170701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/160 bar   | RF80Gly D701 | 85171701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/250 bar   | RF80Gly D701 | 85172701 |
|                                                                                   | 80 mm                | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/400 bar   | RF80Gly D701 | 85173701 |

Blue part no. = in-stock items

## RF100Gly D701

|                                                                                     | Housing <sup>ø</sup> | Connection | Alignment | Housing             | Accuracy class | Range       | Type          | Part no. |
|-------------------------------------------------------------------------------------|----------------------|------------|-----------|---------------------|----------------|-------------|---------------|----------|
|  | 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/0 bar    | RF100Gly D701 | 85201701 |
|                                                                                     | 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF100Gly D701 | 85202701 |
|                                                                                     | 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF100Gly D701 | 85203701 |
|                                                                                     | 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+3 bar   | RF100Gly D701 | 85204701 |

Blue part no. = in-stock items


| Housing <sup>ø</sup> | Connection | Alignment | Housing             | Accuracy class | Range      | Type          | Part no. |
|----------------------|------------|-----------|---------------------|----------------|------------|---------------|----------|
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+5 bar  | RF100Gly D701 | 85205701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+9 bar  | RF100Gly D701 | 85206701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | -1/+15 bar | RF100Gly D701 | 85207701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/1 bar    | RF100Gly D701 | 85210701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/1.6 bar  | RF100Gly D701 | 85211701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/2.5 bar  | RF100Gly D701 | 85212701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/4 bar    | RF100Gly D701 | 85213701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/6 bar    | RF100Gly D701 | 85214701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/10 bar   | RF100Gly D701 | 85215701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/16 bar   | RF100Gly D701 | 85216701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/25 bar   | RF100Gly D701 | 85217701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/40 bar   | RF100Gly D701 | 85218701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/60 bar   | RF100Gly D701 | 85219701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/100 bar  | RF100Gly D701 | 85220701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/160 bar  | RF100Gly D701 | 85221701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/250 bar  | RF100Gly D701 | 85222701 |
| 100 mm               | G½B        | Bottom    | Stainless steel 304 | 1,6            | 0/400 bar  | RF100Gly D701 | 85223701 |

Blue part no. = in-stock items

RF50Gly D711

| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range       | Type         | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-------------|--------------|----------|
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF50Gly D711 | 85051711 |
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF50Gly D711 | 85052711 |
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF50Gly D711 | 85053711 |
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF50Gly D711 | 85054711 |
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF50Gly D711 | 85055711 |
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF50Gly D711 | 85056711 |
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF50Gly D711 | 85057711 |
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/0.6 bar   | RF50Gly D711 | 85059711 |
| 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF50Gly D711 | 85060711 |

Blue part no. = in-stock items








| Housing <sup>⊗</sup> | Connection        | Alignment   | Housing             | Accuracy class | Range     | Type         | Part no.                 |
|----------------------|-------------------|-------------|---------------------|----------------|-----------|--------------|--------------------------|
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar | RF50Gly D711 | 85061711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar | RF50Gly D711 | 85062711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/4 bar   | RF50Gly D711 | 85063711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/6 bar   | RF50Gly D711 | <a href="#">85064711</a> |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/10 bar  | RF50Gly D711 | <a href="#">85065711</a> |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/16 bar  | RF50Gly D711 | <a href="#">85066711</a> |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/25 bar  | RF50Gly D711 | 85067711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/40 bar  | RF50Gly D711 | 85068711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/60 bar  | RF50Gly D711 | 85069711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/100 bar | RF50Gly D711 | 85070711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/160 bar | RF50Gly D711 | 85071711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/250 bar | RF50Gly D711 | 85072711                 |
| 50 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/400 bar | RF50Gly D711 | 85073711                 |

[Blue part no.](#) = in-stock items

#### RF63Gly D711

| Housing <sup>⊗</sup> | Connection        | Alignment   | Housing             | Accuracy class | Range       | Type         | Part no.                 |
|----------------------|-------------------|-------------|---------------------|----------------|-------------|--------------|--------------------------|
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF63Gly D711 | <a href="#">85101711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF63Gly D711 | <a href="#">85102711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF63Gly D711 | <a href="#">85103711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF63Gly D711 | <a href="#">85104711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF63Gly D711 | <a href="#">85105711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF63Gly D711 | <a href="#">85106711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF63Gly D711 | <a href="#">85107711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/0.6 bar   | RF63Gly D711 | <a href="#">85109711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF63Gly D711 | <a href="#">85110711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF63Gly D711 | <a href="#">85111711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF63Gly D711 | <a href="#">85112711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/4 bar     | RF63Gly D711 | <a href="#">85113711</a> |
| 63 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/6 bar     | RF63Gly D711 | <a href="#">85114711</a> |

[Blue part no.](#) = in-stock items




| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range     | Type         | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-----------|--------------|----------|
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/10 bar  | RF63Gly D711 | 85115711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/16 bar  | RF63Gly D711 | 85116711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/25 bar  | RF63Gly D711 | 85117711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/40 bar  | RF63Gly D711 | 85118711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/60 bar  | RF63Gly D711 | 85119711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/100 bar | RF63Gly D711 | 85120711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/160 bar | RF63Gly D711 | 85121711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/250 bar | RF63Gly D711 | 85122711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/315 bar | RF63Gly D711 | 86818711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/400 bar | RF63Gly D711 | 85123711 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/600 bar | RF63Gly D711 | 85124711 |

Blue part no. = in-stock items

RF80Gly D711

| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range       | Type         | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-------------|--------------|----------|
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF80Gly D711 | 85151711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF80Gly D711 | 85152711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF80Gly D711 | 85153711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF80Gly D711 | 85154711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF80Gly D711 | 85155711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF80Gly D711 | 85156711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF80Gly D711 | 85157711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF80Gly D711 | 85160711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF80Gly D711 | 85161711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF80Gly D711 | 85162711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/4 bar     | RF80Gly D711 | 85163711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/6 bar     | RF80Gly D711 | 85164711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/10 bar    | RF80Gly D711 | 85165711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/16 bar    | RF80Gly D711 | 85166711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/25 bar    | RF80Gly D711 | 85167711 |

Blue part no. = in-stock items






| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range     | Type         | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-----------|--------------|----------|
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/40 bar  | RF80Gly D711 | 85168711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/60 bar  | RF80Gly D711 | 85169711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/100 bar | RF80Gly D711 | 85170711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/160 bar | RF80Gly D711 | 85171711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/250 bar | RF80Gly D711 | 85172711 |
| 80 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/400 bar | RF80Gly D711 | 85173711 |

Blue part no. = in-stock items

## RF100Gly D711

| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range       | Type          | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-------------|---------------|----------|
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF100Gly D711 | 85201711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF100Gly D711 | 85202711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF100Gly D711 | 85203711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF100Gly D711 | 85204711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF100Gly D711 | 85205711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF100Gly D711 | 85206711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF100Gly D711 | 85207711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF100Gly D711 | 85210711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF100Gly D711 | 85211711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF100Gly D711 | 85212711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/4 bar     | RF100Gly D711 | 85213711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/6 bar     | RF100Gly D711 | 85214711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/10 bar    | RF100Gly D711 | 85215711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/16 bar    | RF100Gly D711 | 85216711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/25 bar    | RF100Gly D711 | 85217711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/40 bar    | RF100Gly D711 | 85218711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/60 bar    | RF100Gly D711 | 85219711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/100 bar   | RF100Gly D711 | 85220711 |

Blue part no. = in-stock items






| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range     | Type          | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-----------|---------------|----------|
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/160 bar | RF100Gly D711 | 85221711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/250 bar | RF100Gly D711 | 85222711 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/400 bar | RF100Gly D711 | 85223711 |

Blue part no. = in-stock items

#### RF63Gly D731

| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range       | Type         | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-------------|--------------|----------|
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF63Gly D731 | 85101731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF63Gly D731 | 85102731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF63Gly D731 | 85103731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF63Gly D731 | 85104731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF63Gly D731 | 85105731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF63Gly D731 | 85106731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF63Gly D731 | 85107731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/0.6 bar   | RF63Gly D731 | 85109731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF63Gly D731 | 85110731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF63Gly D731 | 85111731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF63Gly D731 | 85112731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/4 bar     | RF63Gly D731 | 85113731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/6 bar     | RF63Gly D731 | 85114731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/10 bar    | RF63Gly D731 | 85115731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/16 bar    | RF63Gly D731 | 85116731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/25 bar    | RF63Gly D731 | 85117731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/40 bar    | RF63Gly D731 | 85118731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/60 bar    | RF63Gly D731 | 85119731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/100 bar   | RF63Gly D731 | 85120731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/160 bar   | RF63Gly D731 | 85121731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/250 bar   | RF63Gly D731 | 85122731 |

Blue part no. = in-stock items




| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range     | Type         | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-----------|--------------|----------|
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/315 bar | RF63Gly D731 | 86818731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/400 bar | RF63Gly D731 | 85123731 |
| 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/600 bar | RF63Gly D731 | 85124731 |

Blue part no. = in-stock items

RF100Gly D731

| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range       | Type          | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-------------|---------------|----------|
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF100Gly D731 | 85201731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF100Gly D731 | 85202731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF100Gly D731 | 85203731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF100Gly D731 | 85204731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF100Gly D731 | 85205731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF100Gly D731 | 85206731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF100Gly D731 | 85207731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF100Gly D731 | 85210731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF100Gly D731 | 85211731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF100Gly D731 | 85212731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/4 bar     | RF100Gly D731 | 85213731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/6 bar     | RF100Gly D731 | 85214731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/10 bar    | RF100Gly D731 | 85215731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/16 bar    | RF100Gly D731 | 85216731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/25 bar    | RF100Gly D731 | 85217731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/40 bar    | RF100Gly D731 | 85218731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/60 bar    | RF100Gly D731 | 85219731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/100 bar   | RF100Gly D731 | 85220731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/160 bar   | RF100Gly D731 | 85221731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/250 bar   | RF100Gly D731 | 85222731 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/400 bar   | RF100Gly D731 | 85223731 |

Blue part no. = in-stock items





## RF50Gly D751


|  | Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range       | Type         | Part no. |
|--|----------------------|------------|-------------|---------------------|----------------|-------------|--------------|----------|
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF50Gly D751 | 85051751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF50Gly D751 | 85052751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF50Gly D751 | 85053751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF50Gly D751 | 85054751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF50Gly D751 | 85055751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF50Gly D751 | 85056751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF50Gly D751 | 85057751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/0.6 bar   | RF50Gly D751 | 85059751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF50Gly D751 | 85060751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF50Gly D751 | 85061751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF50Gly D751 | 85062751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/4 bar     | RF50Gly D751 | 85063751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/6 bar     | RF50Gly D751 | 85064751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/10 bar    | RF50Gly D751 | 85065751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/16 bar    | RF50Gly D751 | 85066751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/25 bar    | RF50Gly D751 | 85067751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/40 bar    | RF50Gly D751 | 85068751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/60 bar    | RF50Gly D751 | 85069751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/100 bar   | RF50Gly D751 | 85070751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/160 bar   | RF50Gly D751 | 85071751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/250 bar   | RF50Gly D751 | 85072751 |
|  | 50 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/400 bar   | RF50Gly D751 | 85073751 |

Blue part no. = in-stock items



## RF63Gly D751

|  | Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range       | Type         | Part no.                 |
|--|----------------------|------------|-------------|---------------------|----------------|-------------|--------------|--------------------------|
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF63Gly D751 | <a href="#">85101751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF63Gly D751 | <a href="#">85102751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF63Gly D751 | <a href="#">85103751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF63Gly D751 | <a href="#">85104751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF63Gly D751 | <a href="#">85105751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF63Gly D751 | <a href="#">85106751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF63Gly D751 | <a href="#">85107751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/0.6 bar   | RF63Gly D751 | <a href="#">85109751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF63Gly D751 | <a href="#">85110751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF63Gly D751 | <a href="#">85111751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF63Gly D751 | <a href="#">85112751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/4 bar     | RF63Gly D751 | <a href="#">85113751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/6 bar     | RF63Gly D751 | <a href="#">85114751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/10 bar    | RF63Gly D751 | <a href="#">85115751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/16 bar    | RF63Gly D751 | <a href="#">85116751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/25 bar    | RF63Gly D751 | <a href="#">85117751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/40 bar    | RF63Gly D751 | <a href="#">85118751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/60 bar    | RF63Gly D751 | <a href="#">85119751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/100 bar   | RF63Gly D751 | <a href="#">85120751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/160 bar   | RF63Gly D751 | <a href="#">85121751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/250 bar   | RF63Gly D751 | <a href="#">85122751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/315 bar   | RF63Gly D751 | <a href="#">86818751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/400 bar   | RF63Gly D751 | <a href="#">85123751</a> |
|  | 63 mm                | G¼B        | Centre back | Stainless steel 304 | 1,6            | 0/600 bar   | RF63Gly D751 | <a href="#">85124751</a> |



Blue part no. = in-stock items



## RF80Gly D751

|  | Housing <sup>ø</sup> | Connection        | Alignment   | Housing             | Accuracy class | Range       | Type         | Part no. |
|--|----------------------|-------------------|-------------|---------------------|----------------|-------------|--------------|----------|
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF80Gly D751 | 85151751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF80Gly D751 | 85152751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF80Gly D751 | 85153751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF80Gly D751 | 85154751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF80Gly D751 | 85155751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF80Gly D751 | 85156751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF80Gly D751 | 85157751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF80Gly D751 | 85160751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar   | RF80Gly D751 | 85161751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar   | RF80Gly D751 | 85162751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/4 bar     | RF80Gly D751 | 85163751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/6 bar     | RF80Gly D751 | 85164751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/10 bar    | RF80Gly D751 | 85165751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/16 bar    | RF80Gly D751 | 85166751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/25 bar    | RF80Gly D751 | 85167751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/40 bar    | RF80Gly D751 | 85168751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/60 bar    | RF80Gly D751 | 85169751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/100 bar   | RF80Gly D751 | 85170751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/160 bar   | RF80Gly D751 | 85171751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/250 bar   | RF80Gly D751 | 85172751 |
|  | 80 mm                | G $\frac{1}{4}$ B | Centre back | Stainless steel 304 | 1,6            | 0/400 bar   | RF80Gly D751 | 85173751 |

Blue part no. = in-stock items

## RF100Gly D751

|  | Housing <sup>ø</sup> | Connection        | Alignment   | Housing             | Accuracy class | Range       | Type          | Part no. |
|--|----------------------|-------------------|-------------|---------------------|----------------|-------------|---------------|----------|
|  | 100 mm               | G $\frac{1}{2}$ B | Bottom back | Stainless steel 304 | 1,0            | -1/0 bar    | RF100Gly D751 | 85301751 |
|  | 100 mm               | G $\frac{1}{2}$ B | Bottom back | Stainless steel 304 | 1,0            | -1/+0.6 bar | RF100Gly D751 | 85302751 |
|  | 100 mm               | G $\frac{1}{2}$ B | Bottom back | Stainless steel 304 | 1,0            | -1/+1.5 bar | RF100Gly D751 | 85303751 |
|  | 100 mm               | G $\frac{1}{2}$ B | Bottom back | Stainless steel 304 | 1,0            | -1/+3 bar   | RF100Gly D751 | 85304751 |

Blue part no. = in-stock items





| Housing <sup>®</sup> | Connection | Alignment   | Housing             | Accuracy class | Range       | Type          | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-------------|---------------|----------|
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | -1/+5 bar   | RF100Gly D751 | 85305751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | -1/+9 bar   | RF100Gly D751 | 85306751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | -1/+15 bar  | RF100Gly D751 | 85307751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/0.6 bar   | RF100Gly D751 | 85309751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/1 bar     | RF100Gly D751 | 85310751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/1.6 bar   | RF100Gly D751 | 85311751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/2.5 bar   | RF100Gly D751 | 85312751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/4 bar     | RF100Gly D751 | 85313751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/6 bar     | RF100Gly D751 | 85314751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/10 bar    | RF100Gly D751 | 85315751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/16 bar    | RF100Gly D751 | 85316751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/25 bar    | RF100Gly D751 | 85317751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/40 bar    | RF100Gly D751 | 85318751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/60 bar    | RF100Gly D751 | 85319751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/100 bar   | RF100Gly D751 | 85320751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/160 bar   | RF100Gly D751 | 85321751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/250 bar   | RF100Gly D751 | 85322751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/400 bar   | RF100Gly D751 | 85323751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/600 bar   | RF100Gly D751 | 85324751 |
| 100 mm               | G½B        | Bottom back | Stainless steel 304 | 1,0            | 0/1,000 bar | RF100Gly D751 | 85325751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/0 bar    | RF100Gly D751 | 85201751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+0.6 bar | RF100Gly D751 | 85202751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+1.5 bar | RF100Gly D751 | 85203751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+3 bar   | RF100Gly D751 | 85204751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+5 bar   | RF100Gly D751 | 85205751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+9 bar   | RF100Gly D751 | 85206751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | -1/+15 bar  | RF100Gly D751 | 85207751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/1 bar     | RF100Gly D751 | 85210751 |

Blue part no. = in-stock items

| Housing <sup>ø</sup> | Connection | Alignment   | Housing             | Accuracy class | Range     | Type          | Part no. |
|----------------------|------------|-------------|---------------------|----------------|-----------|---------------|----------|
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/1.6 bar | RF100Gly D751 | 85211751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/2.5 bar | RF100Gly D751 | 85212751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/4 bar   | RF100Gly D751 | 85213751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/6 bar   | RF100Gly D751 | 85214751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/10 bar  | RF100Gly D751 | 85215751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/16 bar  | RF100Gly D751 | 85216751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/25 bar  | RF100Gly D751 | 85217751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/40 bar  | RF100Gly D751 | 85218751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/60 bar  | RF100Gly D751 | 85219751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/100 bar | RF100Gly D751 | 85220751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/160 bar | RF100Gly D751 | 85221751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/250 bar | RF100Gly D751 | 85222751 |
| 100 mm               | G½B        | Centre back | Stainless steel 304 | 1,6            | 0/400 bar | RF100Gly D751 | 85223751 |

Blue part no. = in-stock items